FILE NOTATIONS		100
Entered in NID File	Checked by Chief	PKK.
Entered On S R Sheet	Copy NID to Field Office	
Location Map Pinned	Approval Letter	k
Card Indexed	Disapproval Latter	
IWR for State or Fee Land		
COMPLETION DATA:		7.1.8
Date Well Completed	Location Inspected	VALC
OW TA	Bond released	
GW OS PA	State of Fee Land	***************************************
LOGS	FILED	
Driller's Log		
Electric Logs (No.)		
E I E-1	GR GR-N	. Micro
Lat Mi-L Sc	onicOthers	***********


المجادرة فالمستوريين

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Salt	Lake	_ <u>C</u> _1 t;
Lease No	U- 014	1212	·
Unit			

NOTICE OF INTENTION TO DRILL		X	SUBSEQUENT REPORT OF WATER SHUT-OFF.
NOTICE OF INTENTION TO CHANGE PLA			SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER			SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OF			SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR A			SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALT	TER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WI	ELL	- - -	
(INDICATE	ABOVE BY CHECK MAR	K NATU	RE OF REPORT, NOTICE, OR OTHER DATA)
			April 7 , 1960
		n_ {S	line and 660 ft. from $\frac{E}{AX}$ line of sec. 13
VE ₄ SE ₄ Sec. 13 (14 Sec. and Sec. No.)	30S (Twp.)	(Range	
Indesignated	San Ju	, -	Utah
(Field)	(County		
	ing points, and all	zes, wei other ir	ghts, and lengths of proposed casings; indicate mudding jobs, cemen nportant proposed work)
Surface Casing: 3 Gas Drill 11" Intermediate Strin Drill with much	350° - 13-3/8 Hole to base ag: 9000° - 18-5/8" Hole - 5-1/2" wi	onia 8 wi e of 9-5 e th	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000*
Surface Casing: Gas Drill 11" Intermediate Strin Drill with muc	350° - 13-3/8 Hole to base ag: 9000° - 18-5/8" Hole - 5-1/2" wi	onia 8 wi e of 9-5 e th	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD.
Surface Casing: Gas Drill 11" Intermediate Strin Drill with much	350° - 13-3/8 Hole to base ag: 9000° - 18-5/8" Hole - 5-1/2" wi	onia 8 wi e of 9-5 e th	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD.
Gas Drill 11" Intermediate Strin Drill with much	350° - 13-3/8 Hole to base ag: 9000° - 18-5/8" Hole - 5-1/2" wi	onia 8 wi e of 9-5 e th	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD.
Surface Casing: Gas Drill 11" Intermediate Strin Drill with much Production String encountered be	350° - 13-3/8 Hole to base ag: 9000° - 18-5/8" Hole - 5-1/2" will below the sal	onia 8 wi e of 9-5 e th th 5	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD.
Surface Casing: Gas Drill 11" Intermediate Strin Drill with much production String encountered be encountered by the string of work many than of work man	350' - 13-3/6 Hole to base ag: 9000' - 1 8-5/8" Hole - 5-1/2" with sale agreement the sale agreement to the s	onia 8 wi e of 9-5 e th th 5	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD. 00 Sax through any production
Surface Casing: Gas Drill 11" Intermediate Strin Drill with much Production String encountered be	Hole to base ag: 9000' - 18-5/8" Hole to base ag: 9000' - 18-5/8" Hole - 5-1/2" with elow the sale	onia 8 wi e of 9-5 e th th 5	th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD. 00 Sax through any production
Surface Casing: Gas Drill 11" Intermediate Strin Drill with much Production String encountered be I understand that this plan of work m Company Apache Drillin	Hole to base ag: 9000* - 1 8-5/8" Hole to base ag: 9000* - 1 8-5/8" Hole - 5-1/2" with solow the sale age Co., Inc.	onia 8 wi e of 9-5 e th th 5	n, Approx. 10,000* th 400 Sax salt. Approx 8800 to 9000* /8" with 1000 Sax rough Devonian McCracken - 10500*TD. 00 Sax through any production



April 11, 1960

Apache Drilling Co., Inc. 2019 Mile High Bldg. Denver 2, Colorado

Attention: William Meakins, Secretary

Gentlemen:

200

This is to acknowledge receipt of your notice of intention to drill well no. Apache-Federal #1, which is to be located 2141 feet from the south line and 660 feet from the east line of Section 13, Township 30 South, Range 23 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT, EXECUTIVE SECRETARY

CBF:awg co: Jerry W. Long, Dist. Eng. U. S. Geological Survey Durango, Colorado June 7, 1962

Apache Drilling Company, Inc. 2019 Mile High Center Building Denver, Colorado

Attn: William Meakins, Secretary

Re: Well No. APACHE-FEDERAL #1
Sec. 13, T. 30 S, R. 23 E.,
San Juan County, Utah

Gentlemen:

In checking our files on the above mentioned well, we find that the following reports have not been filed:

- 1. Subsequent Report of Abandonment
- 2. Drillers Log (See Form OGCC-3 attached)
- 3. Electric, Radioactivity, or other such logs

We would greatly appreciate receiving these reports as soon as possible.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cn

October 11, 1962

Apache Drilling Company, Inc. 2019 Mile High Center Denver, Colorado

Attention: William Meakins, Secretary

Re: Apache-Federal #1
Sec. 13, T. 30 S, R. 23 E.,
San Juin County, Utah

Gentlemen:

Reference is made to our letter of June 7, 1962, werein we requested the following reports: for the above mentioned well:

- 1. Subsequent Report of Abandonment
- 2. Drillers Log (See Form OGCC-3 attached)
- 3. Electric, Radioactivity or other such logs

As of this date, we still have not received these reports. Your immediate attention to this matter will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP: cnp

Attachment

AFTER TEN DAYS RETURN TO ITAH OIL & GAS CONSERVATION COMMI 310 Newhouse Building 10 Exchange Place Salt Lake City 11. Utah MOVED NO ORDER VIIGX Don't Wright again Apache Drilling Company, Inc. 2019 Mile High Center Denver, Colorado

COMMISSIONERS
C. R. HENDERSON
CHAIRMAN
M. V. HATCH
C. S. THOMSON
B. H. CROFT

C. P. OLSON

EXECUTIVE DIRECTOR
C. B. FEIGHT



THE STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

310 NEWHOUSE BUILDING 10 EXCHANGE PLACE SALT LAKE CITY II

October 11, 1962

Apache Drilling Company, Inc. 2019 Mile High Center Denver, Colorado

Attention: William Meakins, Secretary

Re: Apache-Federal #1
Sec. 13, T. 30 S, R. 23 E.,
San Juan County, Utah

PETROLEUM ENGINEERS

PAUL W. BURCHELL

CHIEF ENGINEER

SALT LAKE CITY

HARVEY L. COONTS

BOX 266

MOAB, UTAH

Gentlemen:

Reference is made to our letter of June 7, 1962, werein we requested the following reports for the above mentioned well:

- 1. Subsequent Report of Abandonment
- 2. Drillers Log (See Form OGCC-3 attached)
- 3. Electric, Radioactivity or other such logs

As of this date, we still have not received these reports. Your immediate attention to this matter will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS

RECORDS CLERK

CFP:cnp

Attachment